

Datasheet for ABIN7642168

anti-LIM Domain Binding 1 Protein antibody



()	ve	rvi	6	W
\sim	v C	1 V I	\sim	v v

Quantity:	100 μL	
Target:	LIM Domain Binding 1 Protein (LDB1)	
Reactivity:	Human	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	This LIM Domain Binding 1 Protein antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Monoclonal Antibody to LIM Domain Binding Protein 1 (LDB1)	
Specificity: The antibody is a mouse monoclonal antibody raised against LDB1. It has been		
	ability to recognize LDB1 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

Target:	LIM Domain Binding 1 Protein (LDB1)	
Alternative Name:	LDB1 (LDB1 Products)	
Background:	CLIM2, NLI, Carboxy Terminal LIM Domain Protein 2, LIM domain-binding factor CLIM2, Nuclear LIM interactor	
UniProt:	Q86U70	

Target Details

Pathways:	Stem Cell Maintenance, Chromatin Binding	
Application Details		
Application Notes:	Western blotting: 0.2-2 μg/mL,1:500-5000 Immunohistochemistry: 5-20 μg/mL,1:50-200 Immunocytochemistry: 5-20 μg/mL,1:50-200 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	