

Datasheet for ABIN7642216

anti-Lipocalin 2 antibody



Overview

Quantity:	100 μL
Target:	Lipocalin 2 (LCN2)
Reactivity:	Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Lipocalin 2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Neutrophil gelatinase-associated lipocalin (NGAL)
Immunogen:	RPB388Po01Recombinant Neutrophil gelatinaseassociated lipocalin (NGAL)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against NGAL. It has been selected for its ability to recognize NGAL in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	

Target:	Lipocalin 2 (LCN2)
Alternative Name:	NGAL (LCN2 Products)

Target Details Background:

Lipocalin-2, LCN2, p25, Lipocalin 2, Oncogene 24p3, 25 kDa alpha-2-microglobulin-related

subunit of MMP-9, Siderocalin LCN2

UniProt: F1RRX1

Pathways: Cellular Response to Molecule of Bacterial Origin, Transition Metal Ion Homeostasis

Application Details

Application Notes: Western blotting: 0.01-2 µg/mL,Immunohistochemistry: 5-20 µg/mL,Immunocytochemistry: 5-20 µg/mL,Immunocytoc

Comment: The thermal stability is described by the loss rate. The loss rate was determined by accelerated

thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

auto arraor appropriate otorage of

For Research Use only

Handling

Restrictions:

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.