

Datasheet for ABIN7642223

anti-Lipocalin 2 antibody



Overview

Quantity:	100 μL	
Target:	Lipocalin 2 (LCN2)	
Reactivity:	Human	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	This Lipocalin 2 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Monoclonal Antibody to Neutrophil gelatinase-associated lipocalin (NGAL)
Immunogen:	RPB388Hu01Recombinant Neutrophil gelatinaseassociated lipocalin (NGAL)
Clone:	J13
Specificity:	The antibody is a mouse monoclonal antibody raised against NGAL. It has been selected for its ability to recognize NGAL in immunohistochemical staining and western blotting.
Purification:	Protein A + Protein G affinity chromatography

Target Details

Target:	Lipocalin 2 (LCN2)
Alternative Name:	NGAL (LCN2 Products)

Target Details	
Background:	Lipocalin-2, LCN2, p25, Lipocalin 2, Oncogene 24p3, 25 kDa alpha-2-microglobulin-related subunit of MMP-9, Siderocalin LCN2
UniProt:	P80188
Pathways:	Cellular Response to Molecule of Bacterial Origin, Transition Metal Ion Homeostasis
Application Details	
Application Notes:	Western blotting: 0.01-2 μ g/mL,Immunohistochemistry: 5-20 μ g/mL,Immunocytochemistry: 5-20 μ g/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handlina	

\vdash	and	lına
1 1	and	III IY

Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	