

Datasheet for ABIN7642242

anti-LSR antibody



	er		

Quantity:	100 μL	
Target:	LSR	
Reactivity:	Human	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	This LSR antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Target:

LSR

- Toddet Betails			
Purpose:	Monoclonal Antibody to Lipolysis Stimulated Lipoprotein Receptor (LSR)		
Immunogen:	RPD744Hu01Recombinant Lipolysis Stimulated Lipoprotein Receptor (LSR)		
Clone:	C10		
Specificity:	The antibody is a mouse monoclonal antibody raised against LSR. It has been selected for its ability to recognize LSR in immunohistochemical staining and western blotting.		
Cross-Reactivity:	Pig		
Purification:	Protein A + Protein G affinity chromatography		
Target Details			

Target Details

rarget betano		
Alternative Name:	Lipolysis Stimulated Lipoprotein Receptor (LSR Products)	
Background:	LISCH7, ILDR3, LISCH, Lipolysis-Stimulated Remnant, Immunoglobulin-Like Domain Containing Receptor 3	
UniProt:	Q86X29	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL,Immunohistochemistry: 5-20 μg/mL,Immunocytochemistry: 5-20 μg/mL,Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	