

Datasheet for ABIN7642243

anti-LSR antibody



| _ | | | | |
|-----|-----|-----|---|-----|
| () | VE | r\/ | | Λ/ |
| () | V C | I V | 1 | v v |

| Quantity: | 100 μL |
|--------------|------------------------------------|
| Target: | LSR |
| Reactivity: | Human |
| Host: | Mouse |
| Clonality: | Monoclonal |
| Conjugate: | This LSR antibody is un-conjugated |
| Application: | Western Blotting (WB) |

Product Details

| Purpose: | Monoclonal Antibody to Lipolysis Stimulated Lipoprotein Receptor (LSR) | |
|---------------|---|--|
| Immunogen: | RPD744Hu01Recombinant Lipolysis Stimulated Lipoprotein Receptor (LSR) | |
| Clone: | D7 | |
| Specificity: | The antibody is a mouse monoclonal antibody raised against LSR. It has been selected for its ability to recognize LSR in immunohistochemical staining and western blotting. | |
| Purification: | Protein A + Protein G affinity chromatography | |

Target Details

| Target: | LSR | |
|--|---|--|
| Alternative Name: | e: Lipolysis Stimulated Lipoprotein Receptor (LSR Products) | |
| Background: LISCH7, ILDR3, LISCH, Lipolysis-Stimulated Remnant, Immunoglobulin-Like Domain Conta | | |

Target Details

| | Receptor 3 | |
|---------------------|---|--|
| UniProt: | Q86X29 | |
| Application Details | | |
| Application Notes: | Western blotting: 0.01-2 μg/mL,Optimal working dilutions must be determined by end user. | |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Concentration: | 1 mg/mL | |
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. | |
| Storage: | 4 °C,-20 °C | |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. | |