

Datasheet for ABIN7642343

anti-KDM4C antibody



Overview

Quantity:	100 μL
Target:	KDM4C
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This KDM4C antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Lysine Specific Demethylase 4C (KDM4C)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against KDM4C. It has been selected for its ability to recognize KDM4C in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	KDM4C
Alternative Name:	KDM4C (KDM4C Products)
Background:	JMJD2C, JHDM3C, GASC1, Jumonji Domain Containing 2C, Gene amplified in squamous cell
	carcinoma 1 protein, JmjC domain-containing histone demethylation protein 3C

Target Details

UniProt:	Q9H3R0
Pathways:	Nuclear Hormone Receptor Binding, Warburg Effect
Application Details	
Application Notes:	Western blotting: 0.2-2 μg/mL,1:250-2500 Immunohistochemistry: 5-20 μg/mL,1:25-100 Immunocytochemistry: 5-20 μg/mL,1:25-100 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	500 μg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.