Datasheet for ABIN7642644

# anti-MATK antibody

Go to Product page

## Overview

| | |
|---|---|
| Quantity: | 100 µL |
| Target: | MATK |
| Reactivity: | Rat |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This MATK antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP) |

## Product Details

| | |
|---|---|
| Purpose: | Polyclonal Antibody to Megakaryocyte Associated Tyrosine Kinase (MATK) |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against MATK. It has been selected for its ability to recognize MATK in immunohistochemical staining and western blotting. |
| Cross-Reactivity: | Human, Mouse |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |

## Target Details

| | |
|---|---|
| Target: | MATK |
| Alternative Name: | MATK (MATK Products) |

## Target Details

| | |
|---|---|
| Background: | CHK, CTK, HHYLTK, HYL, HYLTK, Lsk, Csk-Homologous Kinase, Hematopoietic Consensus Tyrosine-Lacking Kinase, Tyrosylprotein Kinase, Hydroxyaryl Protein Kinase |
| UniProt: | P41243 |

## Application Details

| | |
|---|---|
| Application Notes: | Western blotting: 0.2-2 µg/mL,1:250-2500 Immunohistochemistry: 5-20 µg/mL,1:25-100 Immunocytochemistry: 5-20 µg/mL,1:25-100 Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. |
| Restrictions: | For Research Use only |

## Handling

| | |
|---|---|
| Format: | Liquid |
| Concentration: | 500 µg/mL |
| Buffer: | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |

Copyright antibodies-online. All rights reserved.