

## Datasheet for ABIN7642923

# anti-MOCS1 antibody



#### Overview

Quantity:	100 μL
Target:	MOCS1
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MOCS1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

## **Product Details**

Target:

Alternative Name:

Purpose:	Polyclonal Antibody to Molybdenum Cofactor Synthesis 1 (MOCS1)
Immunogen:	RPC623Mu01Recombinant Molybdenum Cofactor Synthesis 1 (MOCS1)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against MOCS1. It has been selected for its ability to recognize MOCS1 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	

MOCS1

MOCS1 (MOCS1 Products)

# **Target Details**

Background:	MIG11, MOCOD, MOCS1A, MOCS1B, Molybdenum Cofactor Biosynthesis Protein 1, Cell
	migration-inducing gene 11 protein, Cyclic pyranopterin monophosphate synthase accessory
UniProt:	Q5RKZ7
Application Details	
Application Notes:	Western blotting: 0.01-2 μg/mL,lmmunohistochemistry: 5-20 μg/mL,lmmunocytochemistry: 5-
	20 μg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.