

Datasheet for ABIN7643112

anti-MYBPC3 antibody



oo to . . oudot pago

()	ve	r\/i	Δ	۱۸/
\circ	V C	1 V		v v

Quantity:	100 μL	
Target:	MYBPC3	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This MYBPC3 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

1 Toddet Details		
Purpose:	Polyclonal Antibody to Myosin Binding Protein C, Cardiac (MYBPC3)	
Immunogen:	RPD016Hu01Recombinant Myosin Binding Protein C, Cardiac (MYBPC3)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against MYBPC3. It has been selected for its ability to recognize MYBPC3 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Pig, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	
Target Details		
Target:	MYBPC3	

Target Details

Alternative Name:	MYBPC3 (MYBPC3 Products)	
Background:	MYBPC-3, FHC, CMH4, MYBP-C, C-protein, cardiac muscle isoform	
UniProt:	Q14896	

Application Details

Application Notes:	Western blotting: 0.01-2 μg/mL,Immunohistochemistry: 5-20 μg/mL,Immunocytochemistry: 5-
	20 μg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.