

## Datasheet for ABIN7643376

## anti-Neuregulin 2 antibody



()	ve	r\/i	۱۸/
$\cup$	V C	1 / 1	 v v

Quantity:	100 μL	
Target:	Neuregulin 2 (NRG2)	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Neuregulin 2 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

## **Product Details**

Target:

Purpose:	Polyclonal Antibody to Neuregulin 2 (NRG2)	
Immunogen:	RPC172Hu01Recombinant Neuregulin 2 (NRG2)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against NRG2. It has been selected for its ability to recognize NRG2 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Pig	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	
Target Details		

Neuregulin 2 (NRG2)

## **Target Details**

Storage:

Storage Comment:

l arget Details		
Alternative Name:	NRG2 (NRG2 Products)	
Background:	Don-1, HRG2, NTAK, Neural And Thymus Derived Activator For ErbB Kinases, Divergent Of Neuregulin-1, Pro-neuregulin-2, membrane-bound isoform	
UniProt:	014511	
Pathways:	RTK Signaling, Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Signaling Pathway	
Application Details		
Application Notes:	Western blotting: 0.01-2 μg/mL,Immunohistochemistry: 5-20 μg/mL,Immunocytochemistry: 5-20 μg/mL,Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	0.25 mg/mL	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be	

detectable loss of activity. Avoid repeated freeze-thaw cycles.

Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without

handled by trained staff only.

4 °C,-20 °C