

## Datasheet for ABIN7643452

# anti-NrCAM antibody



### Overview

Quantity:	100 μL
Target:	NrCAM (NRCAM)
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NrCAM antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)

#### Product Details

Target:

Product Details	
Purpose:	Polyclonal Antibody to Neuronal Cell Adhesion Molecule (NRCAM)
Immunogen:	RPC668Hu01Recombinant Neuronal Cell Adhesion Molecule (NRCAM)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against NRCAM. It has been selected for its ability to recognize NRCAM in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Pig, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	

NrCAM (NRCAM)

## **Target Details**

Alternative Name:	NRCAM (NRCAM Products)
Background:	Bravo, NgCAM-Related Cell Adhesion Molecule, Neuronal surface protein Bravo
UniProt:	Q92823
Pathways:	Regulation of Cell Size
Application Details	
Application Notes:	Western blotting: 0.01-2 μg/mL,lmmunohistochemistry: 5-20 μg/mL,lmmunocytochemistry: 5-

	20 μg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.