

Datasheet for ABIN7643507

anti-Neuropilin 1 antibody



Overview

Quantity:	100 μL
Target:	Neuropilin 1 (NRP1)
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Neuropilin 1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Neuropilin 1 (NRP1)
Immunogen:	RPA692Hu03Recombinant Neuropilin 1 (NRP1)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against NRP1. It has been selected for its ability to recognize NRP1 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	

Larget Details

Target:	Neuropilin 1 (NRP1)
Alternative Name:	NRP1 (NRP1 Products)

Target Details

Storage Comment:

Target Details		
Background:	CD304, BDCA4, VEGF165R, Vascular endothelial cell growth factor 165 receptor	
UniProt:	014786	
Pathways:	Regulation of Cell Size, Signaling Events mediated by VEGFR1 and VEGFR2, Smooth Muscle Cell Migration, Platelet-derived growth Factor Receptor Signaling, VEGFR1 Specific Signals	
Application Details		
Application Notes:	Western blotting: 0.01-2 μg/mL,Immunohistochemistry: 5-20 μg/mL,Immunocytochemistry: 5-20 μg/mL,Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	0.5 mg/mL	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	

detectable loss of activity. Avoid repeated freeze-thaw cycles.

Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without