

Datasheet for ABIN7644261

anti-PDE1C antibody



Overview

Quantity:	100 μL
Target:	PDE1C
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PDE1C antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Target:

Alternative Name:

Background:

Purpose:	Polyclonal Antibody to Phosphodiesterase 1C, Calmodulin Dependent (PDE1C)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against PDE1C. It has been selected for its ability to recognize PDE1C in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	

Hcam3, Cam-PDE 1C, Calcium/calmodulin-dependent 3',5'-cyclic nucleotide phosphodiesterase

PDE1C

1C

PDE1C (PDE1C Products)

Target Details

- Target Details	
UniProt:	Q64338
Pathways:	EGFR Signaling Pathway, Neurotrophin Signaling Pathway, Negative Regulation of Hormone Secretion, cAMP Metabolic Process, G-protein mediated Events, Interaction of EGFR with phospholipase C-gamma
Application Details	
Application Notes:	Western blotting: $0.2-2~\mu g/m L$,1:250-2500 Immunohistochemistry: $5-20~\mu g/m L$,1:25-100 Immunocytochemistry: $5-20~\mu g/m L$,1:25-100 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	500 μg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.