

### Datasheet for ABIN7644284

# anti-Phosphoglucomutase 3 antibody



_			
( )	V/C	rv	٨/

Quantity:	100 μL
Target:	Phosphoglucomutase 3 (PGM3)
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Phosphoglucomutase 3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

#### **Product Details**

1 Toddet Details	
Purpose:	Polyclonal Antibody to Phosphoglucomutase 3 (PGM3)
Immunogen:	RPE743Hu01Recombinant Phosphoglucomutase 3 (PGM3)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against PGM3. It has been selected for its ability to recognize PGM3 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	

Target:	Phosphoglucomutase 3 (PGM3)
Alternative Name:	PGM3 (PGM3 Products)

## **Target Details**

Background:	AGM1, PAGM, Phosphoacetylglucosamine Mutase, Acetylglucosamine Phosphomutase, N-	
	acetylglucosamine-phosphate mutase	
UniProt:	095394	
Application Details		
Application Notes:	Western blotting: 0.01-2 μg/mL,Immunohistochemistry: 5-20 μg/mL,Immunocytochemistry: 5-	
	20 μg/mL,Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	0.5 mg/mL	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	