

Datasheet for ABIN7644333

anti-PLA2G15 antibody



Overview

Quantity:	100 μL
Target:	PLA2G15
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PLA2G15 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)

Product Details

Target:

Alternative Name:

Purpose:	Polyclonal Antibody to Lysophospholipase III (LYPLA3)
Immunogen:	RPF623Hu01Recombinant Lysophospholipase III (LYPLA3)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against LYPLA3. It has been selected for its ability to recognize LYPLA3 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	

PLA2G15

LYPLA3 (PLA2G15 Products)

Target Details

l arget Details	
Background:	PLA2G15, ACS, LLPL, LPLA2, GXVPLA2, Lysosomal Phospholipase A2, Group XV Phospholipase
	A2, 1-0-acylceramide synthase, LCAT-like lysophospholipase
UniProt:	Q8NCC3
Pathways:	Monocarboxylic Acid Catabolic Process
Application Details	
Application Notes:	Western blotting: 0.01-2 μg/mL,lmmunohistochemistry: 5-20 μg/mL,lmmunocytochemistry: 5-
	20 μg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.31 mg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.