

## Datasheet for ABIN7644541 **anti-PAFAH1B3 antibody**

[Go to Product page](#)

### Overview

Quantity:	100 µL
Target:	PAFAH1B3
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PAFAH1B3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

### Product Details

Purpose:	Polyclonal Antibody to Platelet Activating Factor Acetylhydrolase Ib3 (PAFAH1B3)
Immunogen:	RPB397Hu01Recombinant Platelet Activating Factor Acetylhydrolase Ib3 (PAFAH1B3)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against PAFAH1B3. It has been selected for its ability to recognize PAFAH1B3 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

### Target Details

Target:	PAFAH1B3
Alternative Name:	PAFAH1B3 ( <a href="#">PAFAH1B3 Products</a> )
Background:	Platelet Activating Factor Acetylhydrolase Isoform Ib,Gamma Subunit(29kD), PAF

## Target Details

acetylhydrolase 29 kDa subunit

UniProt: [Q15102](#)

## Application Details

Application Notes: Western blotting: 0.01-2 µg/mL, Immunohistochemistry: 5-20 µg/mL, Optimal working dilutions must be determined by end user.

Comment: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions: For Research Use only

## Handling

Format: Liquid

Concentration: 0.5 mg/mL

Buffer: 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C, -20 °C

Storage Comment: Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.