

#### Datasheet for ABIN7644729

# anti-PINP antibody



Overview

Quantity:	100 μL
Target:	PINP
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This PINP antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)
Product Details	
Purpose:	Monoclonal Antibody to Procollagen I N-Terminal Propeptide (PINP)
Purpose: Immunogen:	Monoclonal Antibody to Procollagen I N-Terminal Propeptide (PINP)  RPA957Hu01Recombinant Procollagen I NTerminal Propeptide (PINP)
Immunogen:	RPA957Hu01Recombinant Procollagen I NTerminal Propeptide (PINP)
Immunogen: Clone:	RPA957Hu01Recombinant Procollagen I NTerminal Propeptide (PINP)  H9  The antibody is a mouse monoclonal antibody raised against PINP. It has been selected for its
Immunogen: Clone: Specificity:	RPA957Hu01Recombinant Procollagen I NTerminal Propeptide (PINP)  H9  The antibody is a mouse monoclonal antibody raised against PINP. It has been selected for its ability to recognize PINP in immunohistochemical staining and western blotting.
Immunogen: Clone: Specificity: Cross-Reactivity:	RPA957Hu01Recombinant Procollagen I NTerminal Propeptide (PINP)  H9  The antibody is a mouse monoclonal antibody raised against PINP. It has been selected for its ability to recognize PINP in immunohistochemical staining and western blotting.  Rat

### **Target Details**

Alternative Name:	PINP (PINP Products)
Background:	P1NP, N-Propeptide Of Type I Procollagen, Procollagen I Amino Terminal Propeptide
UniProt:	P02452

### **Application Details**

Application Notes:	Western blotting: 0.01-2 μg/mL,Immunohistochemistry: 5-20 μg/mL,Immunocytochemistry: 5-
	20 μg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only

# Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	ProClin, Sodium azide
Precaution of Use:	This product contains ProClin and Sodium azide: POISONOUS AND HAZARDOUS SUBSTANCES which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.