

### Datasheet for ABIN7644914

# anti-PCSK2 antibody



Go to Product page

_					
	W	0	rv	10	W

Quantity:	100 μL
Target:	PCSK2
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This PCSK2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

### **Product Details**

Purpose:	Monoclonal Antibody to Proprotein Convertase Subtilisin/Kexin Type 2 (PCSK2)	
Specificity:	The antibody is a mouse monoclonal antibody raised against PCSK2. It has been selected for its ability to recognize PCSK2 in immunohistochemical staining and western blotting.	
Purification: Antigen-specific affinity chromatography followed by Protein A affinity chromatography		

## **Target Details**

Target:	PCSK2
Alternative Name:	PCSK2 (PCSK2 Products)
Background:	PC2, NEC2, SPC2, Prohormone Convertase 2, Neuroendocrine Convertase 2, KEX2-Like Endoprotease 2, Proprotein convertase 2
UniProt:	P16519

#### **Target Details**

Storage:

Storage Comment:

4 °C,-20 °C

rarget Details		
Pathways:	Peptide Hormone Metabolism, cAMP Metabolic Process, Maintenance of Protein Location, Negative Regulation of Transporter Activity	
Application Details		
Application Notes:	Western blotting: 0.2-2 μg/mL,1:500-5000 Immunohistochemistry: 5-20 μg/mL,1:50-200 Immunocytochemistry: 5-20 μg/mL,1:50-200 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions: Handling	For Research Use only	
Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	

detectable loss of activity. Avoid repeated freeze-thaw cycles.

Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without