

Datasheet for ABIN7645065
anti-PKN2 antibody



[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	PKN2
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PKN2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Protein Kinase N2 (PKN2)
Immunogen:	RPB987Mu01Recombinant Protein Kinase N2 (PKN2)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against PKN2. It has been selected for its ability to recognize PKN2 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	PKN2
---------	------

Target Details

Alternative Name:	PKN2 (PKN2 Products)
Background:	PRK2, Pak-2, PRKCL2, Protein Kinase C-Like 2, Protein-kinase C-related kinase 2, Serine/threonine-protein kinase N2, Cardiolipin-Activated Protein Kinase Pak2
UniProt:	Q8BWW9
Pathways:	Cell-Cell Junction Organization

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL, Immunohistochemistry: 5-20 µg/mL, Immunocytochemistry: 5-20 µg/mL, Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	500 µg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.