

Datasheet for ABIN7645109 **anti-PTPLA antibody**



[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	PTPLA
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This PTPLA antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Monoclonal Antibody to Protein Tyrosine Phosphatase Like Protein A (PTPLA)
Specificity:	The antibody is a mouse monoclonal antibody raised against PTPLA. It has been selected for its ability to recognize PTPLA in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	PTPLA
Alternative Name:	PTPLA (PTPLA Products)
Background:	CAP, HACD1, Proline Instead Of Catalytic Arginine Member a, 3-hydroxyacyl-CoA dehydratase 1, Cementum Attachment Protein, Very-long-chain 3R-3-hydroxyacyl-CoA dehydratase 1
UniProt:	B0YJ81

Target Details

Pathways: [Regulation of long-term Neuronal Synaptic Plasticity](#)

Application Details

Application Notes:	Western blotting: 0.2-2 µg/mL, 1:500-5000 Immunohistochemistry: 5-20 µg/mL, 1:50-200 Immunocytochemistry: 5-20 µg/mL, 1:50-200 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.