

Datasheet for ABIN7645343

anti-REG3A antibody



Overview

Quantity:	100 μL
Target:	REG3A
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This REG3A antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Regenerating Islet Derived Protein 3 Alpha (REG3a)
Immunogen:	RPE675Mu01Recombinant Regenerating Islet Derived Protein 3 Alpha (REG3a)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against REG3a. It has been selected for its ability to recognize REG3a in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	

Target:	REG3A
Alternative Name:	REG3a (REG3A Products)

Target Details

Background:	HIP, INGAP, PAP-H, PAP1, PBCGF, REG-III, REG3, Pancreatitis-Associated Protein,
	Hepatointestinal pancreatic protein, Human proislet peptide, Pancreatitis-associated protein 1
UniProt:	009037
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mLlmmunohistochemistry: 5-20 μg/mLlmmunocytochemistry: 5-20 μg/mLOptimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	500 μg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.