

## Datasheet for ABIN7645458

## anti-RP1 antibody



Go to Product page

_					
	W	0	rv	10	W

Quantity:	100 μL	
Target:	RP1	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This RP1 antibody is un-conjugated	
Application:	Immunocytochemistry (ICC), Western Blotting (WB), Immunoprecipitation (IP), Immunohistochemistry (IHC)	

## Product Details

Alternative Name:

Product Details		
Purpose:	Polyclonal Antibody to Retinitis Pigmentosa 1, Autosomal Dominant (RP1)	
Immunogen:	RPC767Mu01Recombinant Retinitis Pigmentosa 1, Autosomal Dominant (RP1)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against RP1. It has been selected for its ability to recognize RP1 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	
Target Details		
Target:	RP1	

Retinitis Pigmentosa 1, Autosomal Dominant (RP1 Products)

## **Target Details**

Background:	DCDC4A, ORP1, Oxygen-Regulated Protein 1, Retinitis pigmentosa RP1 protein	
UniProt:	P56716	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL,Immunohistochemistry: 5-20 μg/mL,Immunocytochemistry: 5-	
	20 μg/mL,Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	500 μg/mL	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	