

## Datasheet for ABIN7645738

## anti-SIK2 antibody



_						
	V	$\triangle$	r۱	/1	$\triangle$	Λ/
	' V '		ΙV			v v

Quantity:	100 μL		
Target:	SIK2		
Reactivity:	Human		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This SIK2 antibody is un-conjugated		
Application:	Western Blotting (WB), Immunohistochemistry (IHC)		
Product Details			
Purpose:	Polyclonal Antibody to Salt Inducible Kinase 2 (SIK2)		
Immunogen:	RPM257Hu01Recombinant Salt Inducible Kinase 2 (SIK2)		
Isotype:	IgG		
Specificity:	The antibody is a rabbit polyclonal antibody raised against SIK2. It has been selected for its ability to recognize SIK2 in immunohistochemical staining and western blotting.		
Cross-Reactivity:	Mouse, Pig, Rat		
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography		
Target Details			
Target:	SIK2		
Alternative Name:	SIK2 (SIK2 Products)		

## **Target Details**

Background:	LOH11CR1I, QIK, SNF1LK2, SNF1-Like Kinase 2, Qin-induced kinase, Serine/threonine-protein		
	kinase SNF1-like kinase 2		
UniProt:	Q9H0K1		
Application Details			
Application Notes:	Western blotting: 0.01-2 μg/mL,lmmunohistochemistry: 5-20 μg/mL,Optimal working dilutions		
	must be determined by end user.		
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated		
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious		
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration		
	date under appropriate storage condition.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	0.42 mg/mL		
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be		
	handled by trained staff only.		
Storage:	4 °C,-20 °C		
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.		