

Datasheet for ABIN7645739
anti-SIK2 antibody



[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	SIK2
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SIK2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunoprecipitation (IP), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Salt Inducible Kinase 2 (SIK2)
Immunogen:	RPM257Mu01 Recombinant Salt Inducible Kinase 2 (SIK2)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against SIK2. It has been selected for its ability to recognize SIK2 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human, Mouse
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	SIK2
---------	------

Target Details

Alternative Name:	SIK2 (SIK2 Products)
Background:	LOH11CR1I, QIK, SNF1LK2, SNF1-Like Kinase 2, Qin-induced kinase, Serine/threonine-protein kinase SNF1-like kinase 2
UniProt:	Q8CFH6

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL,Immunohistochemistry: 5-20 µg/mL,Immunocytochemistry: 5-20 µg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	500 µg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.