

Datasheet for ABIN7645803

anti-SFRP5 antibody



_					
	W	0	rv	10	W

Quantity:	100 μL	
Target:	SFRP5	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SFRP5 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Froduct Details		
Purpose:	Polyclonal Antibody to Secreted Frizzled Related Protein 5 (SFRP5)	
Immunogen:	RPC842Hu03Recombinant Secreted Frizzled Related Protein 5 (SFRP5)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against SFRP5. It has been selected for its ability to recognize SFRP5 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	
Target Details		
Target:	SFRP5	

Target Details

Alternative Name:	SFRP5 (SFRP5 Products)	
Background:	SARP3, Secreted Apoptosis Related Protein 3, Frizzled-related protein 1b	
UniProt:	Q5T4F7	
Pathways:	WNT Signaling	

Application Details

Application Notes:

	20 μg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only

Western blotting: $0.5-2 \mu g/mL$, Immunohistochemistry: $5-20 \mu g/mL$, Immunocytochemistry: $5-20 \mu g/mL$

Handling

Format:	Liquid
Concentration:	500 μg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.