

Datasheet for ABIN7645973

anti-Serotonin Receptor 1A antibody[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	Serotonin Receptor 1A (HTR1A)
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This Serotonin Receptor 1A antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)

Product Details

Purpose:	Monoclonal Antibody to 5-Hydroxytryptamine Receptor 1A (HTR1A)
Specificity:	The antibody is a mouse monoclonal antibody raised against HTR1A. It has been selected for its ability to recognize HTR1A in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	Serotonin Receptor 1A (HTR1A)
Alternative Name:	HTR1A (HTR1A Products)
Background:	5HTR1A, 5HTR1-A, 5-HTR1-A, ADRB2RL1, ADRBRL1, Serotonin Receptor 1A
UniProt:	P08908

Target Details

Pathways: [JAK-STAT Signaling](#), [Synaptic Membrane](#), [Feeding Behaviour](#)

Application Details

Application Notes:	Western blotting: 0.2-2 µg/mL, 1:500-5000 Immunohistochemistry: 5-20 µg/mL, 1:50-200 Immunocytochemistry: 5-20 µg/mL, 1:50-200 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.