

Datasheet for ABIN7646132

anti-SIGLEC12 antibody



Overview

Quantity:	100 μL
Target:	SIGLEC12
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SIGLEC12 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

1 Toddet Details	
Purpose:	Polyclonal Antibody to Sialic Acid Binding Ig Like Lectin 12 (SIGLEC12)
Immunogen:	RPB245Hu01Recombinant Sialic Acid Binding Ig Like Lectin 12 (SIGLEC12)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against SIGLEC12. It has been selected for its ability to recognize SIGLEC12 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	SIGLEC12

Target Details

Alternative Name:	SIGLEC12 (SIGLEC12 Products)
Background:	S2V, SIGLECL1, SLG, Siglec-L1, Siglec-XII, Sialic acid-binding Ig-like lectin-like 1
UniProt:	Q96PQ1

Application Details

Application Notes:	Western blotting: 0.01-2 μ g/mL,Immunohistochemistry: 5-30 μ g/mL,Immunocytochemistry: 5-
	30 μg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.