

### Datasheet for ABIN7646226

# anti-SLIT1 antibody



### Overview

Quantity:	100 μL
Target:	SLIT1
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SLIT1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

#### Product Details

Product Details	
Purpose:	Polyclonal Antibody to Slit Homolog 1 (Slit1)
Immunogen:	RPD354Ra01Recombinant Slit Homolog 1 (Slit1)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against Slit1. It has been selected for its ability to recognize Slit1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human, Mouse
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	SLIT1

### **Target Details**

Alternative Name:	Slit1 (SLIT1 Products)
Background:	MEGF4, SLIL1, SLIT3, Multiple epidermal growth factor-like domains protein 4
UniProt:	088279
Pathways:	Regulation of Cell Size

### **Application Details**

Application Notes:

	20 μg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only

Western blotting:  $0.5-2 \mu g/mL$ , Immunohistochemistry:  $5-20 \mu g/mL$ , Immunocytochemistry:  $5-20 \mu g/mL$ 

## Handling

Format:	Liquid
Concentration:	500 μg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.