

Datasheet for ABIN7646379

anti-SLC22A1 antibody



Overview

Quantity:	100 μL
Target:	SLC22A1
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SLC22A1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)

Product Details

Troduct Betaile	
Purpose:	Polyclonal Antibody to Octamer Binding Transcription Factor 1 (OCT1)
Immunogen:	RPB553Mu01Recombinant Octamer Binding Transcription Factor 1 (OCT1)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against OCT1. It has been selected for its ability to recognize OCT1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human, Mouse
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	SLC22A1

Target Details

Alternative Name:	OCT1 (SLC22A1 Products)
Background:	POU2F1, OTF1, NF-A1, POU Domain, Class 2, Transcription Factor 1, Octamer-binding transcription factor 1
UniProt:	P25425
Pathways:	Hormone Transport

Application Details

	date under appropriate storage condition.
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	μg/mLOptimal working dilutions must be determined by end user.
Application Notes:	Western blotting: 0.5-2 μg/mLlmmunohistochemistry: 5-20 μg/mLlmmunocytochemistry: 5-20

Handling

Format:	Liquid
Concentration:	500 μg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.