

Datasheet for ABIN7646527

anti-SPA17 antibody



oo to rioudot page

Overview	
Quantity:	100 μL
Target:	SPA17
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SPA17 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)
Product Details	
Purpose:	Polyclonal Antibody to Sperm Protein 17 (Sp17)
Immunogen:	RPB948Ra01Recombinant Sperm Protein 17 (Sp17)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against Sp17. It has been selected for its ability to recognize Sp17 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	SPA17

Sp17 (SPA17 Products)

Alternative Name:

Target Details

Background:	SPA17, SP17, SP17-1, CT22, Sperm Autoantigenic Protein 17, Cancer/Testis Antigen 22
background.	SPAT7, SPT7, SPT7-1, CT22, Speriff Autoantigenic Protein 17, Cancer/ resus Antigen 22
UniProt:	Q9Z1K2
Application Details	
Application Details	
Application Notes:	Western blotting: 0.5-2 μ g/mL,Immunohistochemistry: 5-20 μ g/mL,Immunocytochemistry: 5-20 μ g/mL,Immuno
	20 μg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	500 μg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.