

## Datasheet for ABIN7646576

## anti-SPRY1 antibody



Go to Product page

_					
	W	0	rv	10	W

Quantity:	100 μL	
Target:	SPRY1	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SPRY1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

## **Product Details**

Target:

Alternative Name:

Purpose:	Polyclonal Antibody to Sprouty Homolog 1 (SPRY1)		
Isotype:	IgG		
Specificity:	The antibody is a rabbit polyclonal antibody raised against SPRY1. It has been selected for its ability to recognize SPRY1 in immunohistochemical staining and western blotting.		
Cross-Reactivity:	Mouse		
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography		
Target Details			

SPRY1

SPRY1 (SPRY1 Products)

## **Target Details**

5		
Background:	Antagonist Of FGF Signaling	
UniProt:	O43609	
Pathways:	EGFR Signaling Pathway, EGFR Downregulation	
Application Details		
Application Notes:	Western blotting: $0.2$ -2 $\mu$ g/mL,1:250-2500 Immunohistochemistry: $5$ -20 $\mu$ g/mL,1:25-100 Immunocytochemistry: $5$ -20 $\mu$ g/mL,1:25-100 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	500 μg/mL	
Buffer:	PBS, pH 7.4, containing 0.01 % SKL, 1 mM DTT, 5 % Trehalose and Proclin300.	
Preservative:	Dithiothreitol (DTT), ProClin	
Precaution of Use:	This product contains ProClin and Dithiothreitol (DTT): POISONOUS AND HAZARDOUS SUBSTANCES which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	