

Datasheet for ABIN7646652

anti-STAG2 antibody



()	ve	r\/i	Δ	۱۸/
\circ	V C	1 V		v v

Quantity:	100 μL
Target:	STAG2
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This STAG2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Stromal Antigen 2 (STAG2)
Immunogen:	RPG204Hu01Recombinant Stromal Antigen 2 (STAG2)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against STAG2. It has been selected for its ability to recognize STAG2 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	STAG2

Target Details

Alternative Name:	STAG2 (STAG2 Products)
Background:	SA2, Cohesin subunit SA-2, SCC3 homolog 2
UniProt:	Q8N3U4
Pathways:	Stem Cell Maintenance

Application Details

Restrictions:	For Research Use only
	date under appropriate storage condition.
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	20 μg/mL,Optimal working dilutions must be determined by end user.
Application Notes:	Western blotting: 0.5-2 μg/mL,Immunohistochemistry: 5-20 μg/mL,Immunocytochemistry: 5-

Handling

Format:	Liquid
Concentration:	500 μg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.