

Datasheet for ABIN7647488
anti-Transportin 1 antibody



[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	Transportin 1 (TNPO1)
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This Transportin 1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Monoclonal Antibody to Transportin 1 (TNPO1)
Specificity:	The antibody is a mouse monoclonal antibody raised against TNPO1. It has been selected for its ability to recognize TNPO1 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	Transportin 1 (TNPO1)
Alternative Name:	TNPO1 (TNPO1 Products)
Background:	MIP1, IPO2, KPNB2, MIP, MIP1, TRN, M9 region interaction protein 1, Importin 2, Karyopherin Beta 2
UniProt:	Q92973

Target Details

Pathways: [PI3K-Akt Signaling](#), [Fc-epsilon Receptor Signaling Pathway](#), [EGFR Signaling Pathway](#), [Neurotrophin Signaling Pathway](#), [Cellular Glucan Metabolic Process](#), [Protein targeting to Nucleus](#), [CXCR4-mediated Signaling Events](#)

Application Details

Application Notes: Western blotting: 0.2-2 µg/mL, 1:500-5000 Immunohistochemistry: 5-20 µg/mL, 1:50-200 Immunocytochemistry: 5-20 µg/mL, 1:50-200 Optimal working dilutions must be determined by end user.

Comment: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 mg/mL

Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C, -20 °C

Storage Comment: Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.