

Datasheet for ABIN7647794

anti-TIE1 antibody



Cross-Reactivity:

Purification:

Human, Rat

| Overview | |
|-----------------|--|
| Quantity: | 100 μL |
| Target: | TIE1 |
| Reactivity: | Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This TIE1 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP) |
| Product Details | |
| Purpose: | Polyclonal Antibody to Tyrosine Kinase With Immunoglobulin Like And EGF Like Domains Protein 1 (Tie1) |
| Immunogen: | RPA125Mu01Recombinant Tyrosine Kinase With Immunoglobulin Like And EGF Like Domains Protein 1 (Tie1) |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against Tie1. It has been selected for its |

ability to recognize Tie1 in immunohistochemical staining and western blotting.

Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

| Target Details | |
|---------------------|--|
| Target: | TIE1 |
| Alternative Name: | Tie1 (TIE1 Products) |
| Background: | JTK14, Tyrosine Kinase With Immunoglobulin And Epidermal Growth Factor Homology |
| | Domains 1, Tyrosine-protein kinase receptor Tie-1 |
| UniProt: | Q06806 |
| Pathways: | RTK Signaling |
| Application Details | |
| Application Notes: | Western blotting: 0.5-2 μg/mL, Immunohistochemistry: 5-20 μg/mL, Immunocytochemistry: 5- |
| | 20 μg/mL,Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration |
| | date under appropriate storage condition. |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Concentration: | 0.5 mg/mL |
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be |
| | handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without |
| | |

detectable loss of activity. Avoid repeated freeze-thaw cycles.