

Datasheet for ABIN7647797

anti-TIE1 antibody



Overview	
Quantity:	100 μL
Target:	TIE1
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TIE1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)
Product Details	
Purpose:	Polyclonal Antibody to Tyrosine Kinase With Immunoglobulin Like And EGF Like Domains Protein 1 (Tie1)
Immunogen:	RPA125Hu03Recombinant Tyrosine Kinase With Immunoglobulin Like And EGF Like Domains Protein 1 (Tie1)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against Tie1. It has been selected for its ability to recognize Tie1 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	TIE1

Target Details

Alternative Name:	Tie1 (TIE1 Products)
Background:	JTK14, Tyrosine Kinase With Immunoglobulin And Epidermal Growth Factor Homology Domains 1, Tyrosine-protein kinase receptor Tie-1
UniProt:	P35590
Pathways:	RTK Signaling

Application Details

Application Notes:	Western blotting: 0.5-2 μg/mL,Immunohistochemistry: 5-20 μg/mL,Immunocytochemistry: 5-
	20 μg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	500 μg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.