

Datasheet for ABIN7647872

anti-B3GNT3 antibody



_			
()	V/C	rv	٨/

Quantity:	100 μL
Target:	B3GNT3
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This B3GNT3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Monoclonal Antibody to Beta-1,3-N-Acetylglucosaminyltransferase 3 (b3GNT3)
Specificity:	The antibody is a mouse monoclonal antibody raised against b3GNT3. It has been selected for its ability to recognize b3GNT3 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	B3GNT3	
Alternative Name:	b3GNT3 (B3GNT3 Products)	
Background:	B3GAL-T8, B3GN-T3, B3GNT-3, TMEM3, beta3Gn-T3, Putative Type II Membrane Protein, Transmembrane Protein 3, Core 1 extending beta-1,3-N-acetylglucosaminyltransferase	
UniProt:	Q9Y2A9	

Target Details

Pathways:	Glycosaminoglycan Metabolic Process	
Application Details		
Application Notes:	Western blotting: 0.2-2 μg/mL,1:500-5000 Immunohistochemistry: 5-20 μg/mL,1:50-200 Immunocytochemistry: 5-20 μg/mL,1:50-200 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	