

## Datasheet for ABIN7648051 **anti-Vip antibody**



[Go to Product page](#)

### Overview

|              |                                                                                                           |
|--------------|-----------------------------------------------------------------------------------------------------------|
| Quantity:    | 100 µL                                                                                                    |
| Target:      | Vip                                                                                                       |
| Reactivity:  | Guinea Pig                                                                                                |
| Host:        | Rabbit                                                                                                    |
| Clonality:   | Polyclonal                                                                                                |
| Conjugate:   | This Vip antibody is un-conjugated                                                                        |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP),<br>Immunocytochemistry (ICC) |

### Product Details

|               |                                                                                                                                                                              |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Purpose:      | Polyclonal Antibody to Vasoactive Intestinal Peptide (VIP)                                                                                                                   |
| Isotype:      | IgG                                                                                                                                                                          |
| Specificity:  | The antibody is a rabbit polyclonal antibody raised against VIP. It has been selected for its ability to recognize VIP in immunohistochemical staining and western blotting. |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography                                                                                       |

### Target Details

|                   |                                                                                                       |
|-------------------|-------------------------------------------------------------------------------------------------------|
| Target:           | Vip                                                                                                   |
| Alternative Name: | Vasoactive Intestinal Peptide ( <a href="#">Vip Products</a> )                                        |
| Background:       | PHM27, Intestinal peptide PHV-42, Peptide histidine valine 42, Peptide histidine methioninamide<br>27 |

## Target Details

UniProt: [P04566](#)

Pathways: [Hormone Activity](#), [cAMP Metabolic Process](#)

## Application Details

Application Notes: Western blotting: 0.2-2 µg/mL, 1:250-2500 Immunohistochemistry: 5-20 µg/mL, 1:25-100  
Immunocytochemistry: 5-20 µg/mL, 1:25-100 Optimal working dilutions must be determined by end user.

Comment: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions: For Research Use only

## Handling

Format: Liquid

Concentration: 500 µg/mL

Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C, -20 °C

Storage Comment: Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.