

Datasheet for ABIN7648084

anti-VAMP2 antibody



_				
()	1//	rv	IO	Λ/
()	VC	. I V	1	v v

Quantity:	100 μL
Target:	VAMP2
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This VAMP2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)

Product Details

Purpose:	Polyclonal Antibody to Vesicle Associated Membrane Protein 2 (VAMP2)	
Immunogen:	RPF562Hu01Recombinant Vesicle Associated Membrane Protein 2 (VAMP2)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against VAMP2. It has been selected for its ability to recognize VAMP2 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	
Target Details		

Target:	VAMP2
Alternative Name:	VAMP2 (VAMP2 Products)

Target Details

Background:	SYB2, VAMP-2, Synaptobrevin 2
UniProt:	P63027
Pathways:	Peptide Hormone Metabolism, Synaptic Vesicle Exocytosis, Dicarboxylic Acid Transport
Application Details	
Application Notes:	Western blotting: 0.5-2 μ g/mL,lmmunohistochemistry: 5-20 μ g/mL,lmmunocytochemistry: 5-20 μ g/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	500 μg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.