

Datasheet for ABIN7648662
anti-HCAM antibody



[Go to Product page](#)

Overview

Quantity:	100 tests
Target:	HCAM
Reactivity:	Human
Host:	Rabbit
Clonality:	Monoclonal
Conjugate:	This HCAM antibody is un-conjugated
Application:	Flow Cytometry (FACS)

Product Details

Purpose:	Anti-Homing Associated Cell Adhesion Molecule (HCAM) Monoclonal Antibody
Clone:	C8
Isotype:	IgG1 kappa
Purification:	Protein A + Protein G affinity chromatography

Target Details

Target:	HCAM
Alternative Name:	Homing Associated Cell Adhesion Molecule (HCAM Products)
Background:	CDW44, CD44, CSPG8, ECMR-III, HCELL, IN, LHR, MC56, MDU2, MDU3, MIC4, MUTCH-I, Pgp1, Hematopoietic Cell E- And L-Selectin Ligand, Chondroitin Sulfate Proteoglycan 8
UniProt:	P16070

Application Details

Application Notes:	For flow cytometry, the suggested use of this reagent is 0.5-1 µg per 10 ⁶ cells in 100 µL volume. Optimal working dilutions must be determined by end user.
--------------------	---

Restrictions:	For Research Use only
---------------	-----------------------

Handling

Format:	Liquid
---------	--------

Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
---------	--

Preservative:	ProClin
---------------	---------

Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
--------------------	---

Storage:	4 °C,-20 °C
----------	-------------

Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
------------------	---
