

### Datasheet for ABIN7654762

## Recombinant anti-HCG beta antibody (CF®640R)



_					
	1//	r	Vİ	$\triangle$	۸/
	V		VI		/ V

Quantity:	100 μL
Target:	HCG beta
Reactivity:	Human
Host:	Rabbit
Antibody Type:	Recombinant Antibody
Clonality:	Monoclonal
Conjugate:	This HCG beta antibody is conjugated to CF®640R
Application:	Immunohistochemistry (IHC), Immunohistochemistry (Formalin-fixed Paraffin-embedded Sections) (IHC (fp))

#### **Product Details**

Purpose:	HCG-beta (Pregnancy & Choriocarcinoma Marker)(HCGb/1996R), CF640R conjugate	
Immunogen:	Recombinant full-length hCG beta protein	
Clone:	HCGb-1996R	
Isotype:	IgG	
Characteristics:	This MAb reacts with a protein of 22 kDa, identified as beta sub-unit of HCG. It does not cross	

react with the alpha sub-unit. HCG is a glycoprotein, which is secreted in large quantities by normal trophoblasts. It is present only in trace amounts in non-pregnant urine and sera but rises sharply during pregnancy. HCG is composed of two non-identical, non-covalently linked polypeptide chains designated as the subunit is identical to that of thyroid stimulating hormone

(TSH) follicle stimulating hormone (FSH), and luteinizing hormone (LH). hCG MAb detects cells

and tumors of trophoblastic origin such as choriocarcinoma. Large cell carcinoma and adenocarcinoma of the lung demonstrate anti-hCG positivity in 90 % and 60 % of cases respectively. 20 % of lung squamous cell carcinomas are positive. hCG expression by non-trophoblastic tumors may indicate aggressive behavior. Primary antibodies are available purified, or with a selection of fluorescent CF® Dyes and other labels. CF® Dyes offer exceptional brightness and photostability. Note: Conjugates of blue fluorescent dyes like CF®405S and CF®405M are not recommended for detecting low abundance targets, because blue dyes have lower fluorescence and can give higher non-specific background than other dye colors.

### **Target Details**

Target:	HCG beta
Background:	Synonyms: CG-beta, CGB3, CGB5, CGB7, CGB8, Choriogonadotropin Subunit beta, hCGB Gene Symbol: CGB Tissue Expression: Placenta
Molecular Weight:	22 kDa
Gene ID:	1082
UniProt:	P01233

## **Application Details**

Application Notes:	Optimal working dilution should be determined by the investigator.	
Comment:	Positive Control: JAR or TT Cells. Placenta	
Restrictions:	For Research Use only	

#### Handling

Handling	
Format:	Liquid
Concentration:	0.1 mg/mL
Buffer:	PBS, 0.1 % BSA, 0.05 % azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

# Handling

Handling Advice:	Protect from light
Storage:	4 °C
Storage Comment:	Stable at room temperature or 37°C for 7 days.  Protect from light  Store at 2 to 8°C. Protect fluorescent conjugates from light
Expiry Date:	24 months