

Datasheet for ABIN7655506

anti-CD11c antibody (AA 637-827) (CF®640R)



()	ve	r\/i	Δ	۱۸/
\circ	V C	1 V		v v

Quantity:	100 μL
Target:	CD11c (ITGAX)
Binding Specificity:	AA 637-827
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD11c antibody is conjugated to CF®640R
Application:	Please inquire

Product Details

Isotype:	IgG1, kappa	
Clone:	ITGAX-2507	
Immunogen:	Recombinant fragment of human ITGAX protein (around aa 637-827)	
Purpose:	CD11c (Dendritic Cell Marker) (ITGAX/2507), CF640R conjugate	

Characteristics:

This antibody recognizes a protein of 145 kDa, identified as CD11c. CD11c (ITGAX), a member of the leukointegrin family, shares the same beta subunit with other members of the leukocyte adhesion molecule family, which includes CD11a (LFA-1), CD11b (MAC-1) and CD11d (ITGAD), but has a unique alpha chain. CD11c has been shown to play a role in phagocytosis, cell migration, and cytokine production by monocytes/macrophages as well as induction of T-cell proliferation by Langerhans cells. CD11c is expressed prominently on the plasma membranes of monocytes, tissue macrophages, NK cells, and most dendritic cells (DCs). A lower level of

expression is also observed on neutrophils as a result of its high level of expression on most DCs. An antibody to CD11c may aid in identification of lesions with histiocytic origin. It may also been used as a marker for hairy cell leukemia in paraffin-embedded tissues. Primary antibodies are available purified, or with a selection of fluorescent CF® Dyes and other labels. CF® Dyes offer exceptional brightness and photostability. Note: Conjugates of blue fluorescent dyes like CF®405S and CF®405M are not recommended for detecting low abundance targets, because blue dyes have lower fluorescence and can give higher non-specific background than other dye colors.

Target Details

Comment:

Restrictions:

9		
Target:	CD11c (ITGAX)	
Alternative Name:	CD11c	
Background:	Synonyms: CD11 antigen-like family member C, Complement component 3 receptor 4 subuni Integrin alpha-X, integrin, alpha X (antigen CD11C (p150), alpha polypeptide), Leu M5 alpha subunit, Leukocyte adhesion glycoprotein p150 95 alpha chain, Myeloid membrane antigen alpha subunit, p150/95 Gene Symbol: ITGAX	
Molecular Weight:	145 kDa	
Gene ID:	3687	
UniProt:	P20702	
Pathways:	Complement System, Activated T Cell Proliferation, Integrin Complex	
Application Details		
Application Notes:	For coating for ELISA, order Ab without BSA. Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody. Optimal dilution and staining procedure for a specific application should be determined by user. Recommended starting concentrations for titration are 1-2 µg/mL for mos applications, or 1 µg/million cells/100 µLfor flow cytometry	

Positive Control: THP-1 cells. Tonsil or Lymph Node

For Research Use only

Handling

Format:	Liquid	
Concentration:	0.1 mg/mL	
Buffer:	PBS, 0.1 % BSA, 0.05 % azide	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Handling Advice:	Protect from light	
Storage:	4 °C	
Storage Comment:	Stable at room temperature or 37°C for 7 days. Protect from light Store at 2 to 8°C. Protect fluorescent conjugates from light	
Expiry Date:	24 months	