

Datasheet for ABIN7655517

anti-CD11c antibody (AA 637-827) (CF®740)



Overview

Quantity:	100 μL
Target:	CD11c (ITGAX)
Binding Specificity:	AA 637-827
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD11c antibody is conjugated to CF®740
Application:	Please inquire

Product Details

Isotype:	IgG1, kappa
Clone:	ITGAX-2507
Immunogen:	Recombinant fragment of human ITGAX protein (around aa 637-827)
Purpose:	CD11c (Dendritic Cell Marker) (ITGAX/2507), CF740 conjugate

Characteristics:

This antibody recognizes a protein of 145 kDa, identified as CD11c. CD11c (ITGAX), a member of the leukointegrin family, shares the same beta subunit with other members of the leukocyte adhesion molecule family, which includes CD11a (LFA-1), CD11b (MAC-1) and CD11d (ITGAD), but has a unique alpha chain. CD11c has been shown to play a role in phagocytosis, cell migration, and cytokine production by monocytes/macrophages as well as induction of T-cell proliferation by Langerhans cells. CD11c is expressed prominently on the plasma membranes of monocytes, tissue macrophages, NK cells, and most dendritic cells (DCs). A lower level of

expression is also observed on neutrophils as a result of its high level of expression on most DCs. An antibody to CD11c may aid in identification of lesions with histiocytic origin. It may also been used as a marker for hairy cell leukemia in paraffin-embedded tissues. Primary antibodies are available purified, or with a selection of fluorescent CF® Dyes and other labels. CF® Dyes offer exceptional brightness and photostability. Note: Conjugates of blue fluorescent dyes like CF® 405S and CF® 405M are not recommended for detecting low abundance targets, because blue dyes have lower fluorescence and can give higher non-specific background than other dye colors.

Target Details

Comment:

Restrictions:

rarget betails	
Target:	CD11c (ITGAX)
Alternative Name:	CD11c
Background:	Synonyms: CD11 antigen-like family member C, Complement component 3 receptor 4 subunit,
	Integrin alpha-X, integrin, alpha X (antigen CD11C (p150), alpha polypeptide), Leu M5 alpha
	subunit, Leukocyte adhesion glycoprotein p150 95 alpha chain, Myeloid membrane antigen
	alpha subunit, p150/95
	Gene Symbol: ITGAX
Molecular Weight:	145 kDa
Gene ID:	3687
UniProt:	P20702
Pathways:	Complement System, Activated T Cell Proliferation, Integrin Complex
Application Details	
Application Notes:	For coating for ELISA, order Ab without BSA. Higher concentration may be required for direct
	detection using primary antibody conjugates than for indirect detection with secondary
	antibody. Optimal dilution and staining procedure for a specific application should be
	determined by user. Recommended starting concentrations for titration are 1-2 µg/mL for mos
	applications, or 1 µg/million cells/100 µLfor flow cytometry

Positive Control: THP-1 cells. Tonsil or Lymph Node

For Research Use only

Handling

Format:	Liquid
Concentration:	0.1 mg/mL
Buffer:	PBS, 0.1 % rBSA, 0.05 % azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Protect from light
Storage:	4 °C
Storage Comment:	Stable at room temperature or 37°C for 7 days. Protect from light Store at 2 to 8°C. Protect fluorescent conjugates from light
Expiry Date:	24 months