

Datasheet for ABIN7656120

Recombinant anti-KRT20 antibody (AA 196-323) (CF®405S)



oo to . . oudot pago

Overview

Quantity:	100 μL
Target:	KRT20
Binding Specificity:	AA 196-323
Reactivity:	Human
Host:	Rabbit
Antibody Type:	Recombinant Antibody
Clonality:	Monoclonal
Conjugate:	This KRT20 antibody is conjugated to CF®405S
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Formalin-fixed Paraffin-embedded Sections) (IHC (fp))

Product Details

Purpose:	Cytokeratin 20 (KRT20) (Colorectal Epithelial Marker)(KRT20/3129R), CF405S conjugate
Immunogen:	Recombinant fragment of human KRT20 protein (around aa 196-323)
Clone:	KRT20-3129R
Isotype:	IgG
Characteristics:	This MAb recognizes an intermediate filament protein of 46 kDa, identified as cytokeratin 20
	(KRT20). KRT20 is abundantly expressed in goblet cells and enterocytes of the gastrointestinal
	tract. It is a useful marker of pancreatic and colorectal cancer. KRT20 is expressed under

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn

normal, hyperplastic and neoplastic conditions. It has been detected in adenocarcinomas of the

colon, stomachand biliary tract. Breast carcinomas are generally non-reactive. Primary

Product Details

antibodies are available purified, or with a selection of fluorescent CF® Dyes and other labels. CF® Dyes offer exceptional brightness and photostability. Note: Conjugates of blue fluorescent dyes like CF®405S and CF®405M are not recommended for detecting low abundance targets, because blue dyes have lower fluorescence and can give higher non-specific background than other dye colors.

Target Details

Target:	KRT20
Alternative Name:	Keratin 20
Background:	Synonyms: CK20, Cytokeratin-20, K20, KA20, Keratin 20, keratin 20, type I, Keratin type I cytoskeletal 20, Keratin-20, KRT20 Gene Symbol: KRT20 Tissue Expression: Goblet cells Intestine
Molecular Weight:	46 kDa
Gene ID:	54474
UniProt:	P35900

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Comment:	Positive Control: HT29 cell lysate (WB). Human colon carcinoma (IHC).
Restrictions:	For Research Use only

Handling

_	
Format:	Liquid
Concentration:	0.1 mg/mL
Buffer:	PBS, 0.1 % BSA, 0.05 % azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Protect from light

Handling

Storage:	4 °C
Storage Comment:	Stable at room temperature or 37°C for 7 days.
	Protect from light
	Store at 2 to 8°C. Protect fluorescent conjugates from light
Expiry Date:	24 months