

Datasheet for ABIN7661531

anti-Tyrosinase-Related Protein 1 antibody (AA 257-377) (CF®488A)



Go to Product page

| _ | | | | |
|---|--------|---------|----|-----|
| | ۱۱ / ۱ | rv | | ۱۸/ |
| | ' V ' | ı v | Ι. | v v |

Immunogen:

| Quantity: | 100 μL |
|----------------------|---|
| Target: | Tyrosinase-Related Protein 1 (TYRP1) |
| Binding Specificity: | AA 257-377 |
| Reactivity: | Human |
| Host: | Mouse |
| Clonality: | Monoclonal |
| Conjugate: | This Tyrosinase-Related Protein 1 antibody is conjugated to CF®488A |
| Application: | Immunohistochemistry (IHC), Immunohistochemistry (Formalin-fixed Paraffin-embedded Sections) (IHC (fp)) |
| Product Details | |
| Purpose: | Tyrosinase-Related Protein-1 (TYRP-1) (Melanoma Marker)(TYRP1/3281), CF488A conjugate |

| Clone: | TYRP1-3281 |
|------------------|--|
| Isotype: | IgG2b, kappa |
| Characteristics: | Reacts with a 75 kDa melanocyte-specific gene product, identified as Tyrosinase-related protein-1 (TRP-1). It is involved in melanin synthesis. TRP1 is present on the melanosomal |
| | membranes of melanoma, normal melanocytes and nevi. Recent evidence suggests that TRP-1 |
| | is involved in maintaining stability of tyrosinase protein and modulating its catalytic activity. |
| | TRP-1 is also involved in maintenance of melanosome ultrastructure and affects melanocyte |

A recombinant fragment (around aa 257-377) of human TYRP1 protein

proliferation and cell death. Primary antibodies are available purified, or with a selection of

Product Details

fluorescent CF® Dyes and other labels. CF® Dyes offer exceptional brightness and photostability. Note: Conjugates of blue fluorescent dyes like CF®405S and CF®405M are not recommended for detecting low abundance targets, because blue dyes have lower fluorescence and can give higher non-specific background than other dye colors.

Target Details

| Target: | Tyrosinase-Related Protein 1 (TYRP1) | |
|-------------------|--|--|
| Alternative Name: | Tyrosinase Related Protein-1 | |
| Background: | Synonyms: 5, 6 dihydroxyindole 2 carboxylic acid oxidase, 6-dihydroxyindole-2-carboxylic acid oxidase, Associated with iris pigmentation, CAS2, Catalase B (CATB), DHICA oxidase, Glycoprotein75 (GP75), Melanoma antigen gp75 Gene Symbol: TYRP1 Tissue Expression: Melanocytes | |
| Molecular Weight: | 75 kDa | |
| Gene ID: | 7306 | |
| UniProt: | P17643 | |

Application Details

| Application Notes: | Optimal working dilution should be determined by the investigator. |
|--------------------|---|
| Comment: | Positive Control: SK-MEL-23, SK-MEL-19, SK-MEL-30, SK-MEL-37 cells. Human Skin or |
| | Melanoma. |
| Restrictions: | For Research Use only |

Handling

| Format: | Liquid |
|--------------------|--|
| Concentration: | 0.1 mg/mL |
| Buffer: | PBS, 0.1 % BSA, 0.05 % azide |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |

Handling

| Handling Advice: | Protect from light |
|------------------|--|
| Storage: | 4 °C |
| Storage Comment: | Stable at room temperature or 37°C for 7 days. Protect from light Store at 2 to 8°C. Protect fluorescent conjugates from light |
| Expiry Date: | 24 months |