



[Go to Product page](#)

Datasheet for ABIN768611 **anti-DBF4B/DRF1 antibody (AA 193-207)**

Overview

Quantity:	100 µg
Target:	DBF4B/DRF1 (DBF4B)
Binding Specificity:	AA 193-207
Reactivity:	Human
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This DBF4B/DRF1 antibody is un-conjugated
Application:	ELISA

Product Details

Purpose:	DBF4B (aa193-207)
Immunogen:	Peptide with sequence QLSLASLCVKKQQPK, from the internal region of the protein sequence according to NP_663696.1, NP_079380.1.
Sequence:	QLSLASLCVK KQQPK
Isotype:	IgG
Specificity:	This antibody is expected to recognize both reported isoforms.
Cross-Reactivity:	Human
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Grade:	Recent

Target Details

Target:	DBF4B/DRF1 (DBF4B)
Alternative Name:	DBF4B (DBF4B Products)
Background:	DBF4B, DBF4 homolog B (S. cerevisiae), ASKL1, DRF1, FLJ13087, MGC15009, ZDBF1B, chifb, ASK-like protein 1, Dbf4-related factor 1, activator of S phase kinase-like protein 1, activator of S-phase kinase-like protein 1, chifon homolog B, protein DBF4 homol
Gene ID:	80174
NCBI Accession:	NP_663696 , NP_079380

Application Details

Application Notes:	Western Blot: Preliminary experiments in Human Testis lysates gave no specific signal but low background (at antibody concentration up to 1 µg/mL). We would appreciate any feedback from people in the field - have any results been reported with other antib Peptide ELISA: antibody detection limit dilution 1:64000.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	Supplied at 0.5 mg/mL in Tris saline, 0.02 % sodium azide, pH 7.3 with 0.5 % bovine serum albumin.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Minimize freezing and thawing.
Storage:	-20 °C
Storage Comment:	Aliquot and store at -20°C, with minimal freeze/thawing. A working aliquot may be refrigerated at 4°C for a few weeks and still remain viable.