



[Go to Product page](#)

Datasheet for ABIN783520  
**anti-CCDC141 antibody (N-Term)**

### Overview

Quantity:	0.1 mg
Target:	CCDC141
Binding Specificity:	N-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CCDC141 antibody is un-conjugated
Application:	Western Blotting (WB), Enzyme Immunoassay (EIA)

### Product Details

Immunogen:	18 amino acid peptide near the amino terminus of human CCDC141
Specificity:	This antibody detects CCDC141 at N-term.
Cross-Reactivity (Details):	Species reactivity (tested):Human, mouse
Purification:	Affinity chromatography purified via peptide column

### Target Details

Target:	CCDC141
Alternative Name:	CCDC141 ( <a href="#">CCDC141 Products</a> )
Background:	Coiled-coil domain-containing protein 141 (CCDC141), also known as CAMDI, is a recently identified disrupted in schizophrenia 1 (DISC1)-binding protein that also associates with myosin

## Target Details

---

II. CCDC141 preferentially associates with phosphomyosin II and causes an accumulation of phosphomyosin II at the centrosome in a DISC1-dependent manner. Knockdown of CCDC141 expression by RNAi led to severely impaired radial migration with disoriented chromosomes, suggesting that CCDC141 is required for radial migration through DISC1 and myosin II-mediated centrosome positioning during neuronal development. At least four isoforms of CCDC141 are known to exist. Synonyms: Coiled-coil domain-containing protein 141

Gene ID: 285025

NCBI Accession: [NP\\_775919](#)

UniProt: [Q6ZP82](#)

## Application Details

---

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

## Handling

---

Buffer: PBS containing 0.02 % sodium azide

Preservative: Sodium azide

Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling Advice: Avoid repeated freezing and thawing.

Storage: 4 °C/-20 °C

Storage Comment: Store at 2 - 8 °C for up to three months or (in aliquots) at -20 °C for longer.