

Datasheet for ABIN783560

anti-SP110 antibody (N-Term)





Overview

Overview	
Quantity:	0.1 mg
Target:	SP110
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SP110 antibody is un-conjugated
Application:	Western Blotting (WB), Enzyme Immunoassay (EIA)
Product Details	
Immunogen:	16 amino acid peptide near the amino terminus of the human IPR1
Specificity:	This antibody detects SP110 at N-term.
Cross-Reactivity (Details):	Species reactivity (tested):Human, mouse, rat
Purification:	Affinity chromatography purified via peptide column
Target Details	
Target:	SP110
Alternative Name:	SP110 (SP110 Products)
Background:	Susceptibility to tuberculosis (TB) in mice has recently been attributed to the IPR1 gene. IPR1 is a member of the SP100/SP140 family of nuclear body proteins and encodes a leukocyte-

specific nuclear body component. The protein can function as an activator of gene transcription and may serve as a nuclear hormone receptor coactivator. Alternative splicing has been observed for this gene and three transcript variants, encoding distinct isoforms, have been identified. SP110 is the closest homolog of the IPR1 protein in humans. The IPR1/Sp110 gene product might play a role in integrating signals generated by intracellular pathogens with mechanisms controlling innate immunity, cell death, and pathogenesis. IPR1/Sp110 is upregulated after infection with M. tuberculosis and required by Anaplasma phagocytophilum for infection of human promyelocytic cells. Defects in Sp110 are a cause of severely impaired resistance to infection by M. tuberculosis.Synonyms: FLJ22835, IPR1, SP-110, SP110 nuclear body protein, Speckled 110 kD, VODI

Gene ID: 3431

NCBI Accession: NP_001171944

UniProt: Q9HB58


Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

Handling

Buffer:	PBS containing 0.02 % sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2 - 8 °C for up to three months or (in aliquots) at -20 °C for longer.



Western Blotting

Image 1. Western blot analysis of IPR1 in SW480 cell lysate with IPR1 antibody at (A) 1 and (B) 2 μ g/ml.