antibodies -online.com





anti-FREM1 antibody (C-Term)

2 Images



Go to Product page

\sim	
()\/\	rview
\cup	

Overview	
Quantity:	0.1 mg
Target:	FREM1
Binding Specificity:	C-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FREM1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Enzyme Immunoassay (EIA)
Product Details	
Immunogen:	15 amino acid peptide near the carboxy terminus of Human FREM1
Specificity:	This antibody rescts with Muman and Mouse FREM1 and is predicted to not cross-react with other FRAS members.
Purification:	Affinity Chromatography purified via peptide column
Target Details	
Target:	FREM1
- 9	
Alternative Name:	FREM1 (FREM1 Products)

Target Details

syndrome.Synonyms: C9orf143, C9orf145, C9orf154, FRAS1-related extracellular matrix protein 1, Protein OBRICK
to the bleb phenotype, which is equivalent to the human hereditary disorder Fraser
through different members of the integrin family. Deficiency in the Fras1/Frem genes gives rise
in epidermal differentiation. It is recognized by cells in the embryonic skin and hair follicles

Gene ID: 158326

NCBI Accession: NP_001171175

UniProt: Q5H8C1

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only


Handling

Concentration:	1.0 mg/mL
Buffer:	PBS, 0.02 % Sodium Azide
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C
Storage Comment:	Store undiluted at 2-8 °C for one month or (in aliquots) at -20 °C for longer.



Immunofluorescence

Image 1. Immunocytochemistry of FREM1 in K562 cells with FREM1 antibody at 20 μ g/ml.



Western Blotting

Image 2. Western blot analysis of FREM1 in K562 cell lysate with FREM1 antibody at (A) 0.5 and (B) 1μ g/ml.