

# Datasheet for ABIN800883 anti-GABBR1 antibody (pSer923)

#### Go to Product page

Overview		
Quantity:	100 μL	
Target:	GABBR1	
Binding Specificity:	pSer923	
Reactivity:	Human, Rat, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This GABBR1 antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	
Product Details		
Immunogen:	KLH conjugated synthetic phosphopeptide derived from mouse GABBR1 around the phosphorylation site of Ser923	
Isotype:	lgG	
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Sheep,Pig,Horse,Rabbit,Guinea Pig	
Purification:	Purified by Protein A.	
Target Details		
Target:	GABBR1	
Alternative Name:	Gabbr1 (GABBR1 Products)	

#### Target Details

Bac	kara	ound:

Synonyms: GABBR1 phospho S1180, GABBR1 phospho Ser1180, p-GABBR1 Ser1180, GABAb Receptor 1, dJ271M21.1.1, dJ271M21.1.2, FLJ92613, GAB B R1, GABA B R1, GABAB R1, GABAB R1, GABAB Subunit 1c, GABAB1e, GABABR 1, GABABR1, GABBR1, GABBR 1, GABBR 1, GABBR1 3, GABBR1, Gamma aminobutyric acid GABA B receptor 1, Gamma aminobutyric acid type B receptor subunit 1, Gb 1, Gb1, GPRC 3A, GPRC3A, hGB1a, GABR1\_HUMAN, Gamma-aminobutyric acid type B receptor subunit 1, GABA B Receptor 1, GABA-B receptor 1, GABA-B-R1, GABA-BR1, GABABR1, Gb1, Seven transmembrane helix receptor.

Background: Gamma-aminobutyric acid (GABA) is the main inhibitory neurotransmitter in the mammalian central nervous system. GABA exerts its effects through ionotropic [GABA(A/C)] receptors, to produce fast synaptic inhibition, and metabotropic [GABA(B)] receptors, to produce slow, prolonged inhibitory signals. The GABA(B) receptor consists of a heterodimer of two related 7-transmembrane receptors, GABA(B) receptor 1 and GABA(B) receptor 2. The GABA(B) receptor 1 gene is mapped to chromosome 6p21.3 within the HLA class I region close to the HLA-F gene. Susceptibility loci for multiple sclerosis, epilepsy, and schizophrenia have also been mapped in this region. Alternative splicing of this gene generates multiple transcript variants. [provided by RefSeq, Jun 2009].

Gene ID:

54393

Pathways:

Positive Regulation of Peptide Hormone Secretion, cAMP Metabolic Process

### **Application Details**

**Application Notes:** 

WB 1:100-1000

IHC-P 1:100-500

IF(IHC-P) 1:50-200

Restrictions:

For Research Use only

#### Handling

Format: Liquid

Concentration:  $1 \mu g/\mu L$ 

Buffer: 0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE, which

## Handling

	should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months