

## Datasheet for ABIN801189

# anti-PLCz1 antibody (AA 351-450) (Cy7)



Go to Product page

_					
	1//	r	Vİ	$\triangle$	۸/
	V		VI		/ V

Quantity:	100 μL
Target:	PLCz1
Binding Specificity:	AA 351-450
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PLCz1 antibody is conjugated to Cy7
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Draduat Dataila	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human PLCZ1
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Dog,Cow,Pig,Horse
Purification:	Purified by Protein A.

### Target Details

Target:	PLCz1
Alternative Name:	PLCZ1 (PLCz1 Products)

### **Target Details**

Background:	Synonyms: PLCzeta, NYD-SP27, PLC-zeta-1, 1-phosphatidylinositol 4,5-bisphosphate
	phosphodiesterase zeta-1, Phosphoinositide phospholipase C-zeta-1, Phospholipase C-zeta-1,
	Testis-development protein NYD-SP27, PLCZ1, PLCZ1_HUMAN
	Background: The production of the second messenger molecules diacylglycerol (DAG) and
	inositol 1,4,5-trisphosphate (IP3) is mediated by activated phosphatidylinositol-specific
	phospholipase C enzymes. In vitro, hydrolyzes PtdIns(4,5)P2 in a Ca(2+)-dependent manner.
	Triggers intracellular Ca(2+) oscillations in oocytes solely during M phase and is involved in
	inducing oocyte activation and initiating embryonic development up to the blastocyst stage. Is
	therefore a strong candidate for the egg-activating soluble sperm factor that is transferred from
	the sperm into the egg cytoplasm following gamete membrane fusion. May exert an inhibitory
	effect on phospholipase-C-coupled processes that depend on calcium ions and protein kinase
	C, including CFTR trafficking and function.
Gene ID:	89869
UniProt:	Q86YW0
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

		1.	
$\vdash$	land	ling	
1 1	ıaııu	11111	۰

Expiry Date:

12 months